Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

system adj call adj table

Display: 10 Documents in **Display Format:** - **Starting with Number** 1

Generate: ○ Hit List ● Hit Count ○ Side by Side ○ Image

[Search] [Clear] [Interrupt]

Search History

DATE: **Sunday, June 13, 2004** Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L52	system adj call adj table	16	L52
L51	audit$3 with (chang$3 or replac$3) near address	6	L51
L50	copy$3 near system near table	4	L50
L49	copy$3 near system adj call adj table	0	L49
L48	l44 or l45 or l46 or L47	28575	L48
L47	719/311-332.ccls.	2471	L47
L46	707/1-10,100-103z.ccls.	10747	L46
L45	709/200-253.ccls.	15373	L45
L44	717/100-167.ccls.	3660	L44
L43	(address with system adj call adj table)	4	L43
L42	((replac$3 or chang$3) near address with system adj call)	5	L42
DB=USPT; PLUR=YES; OP=OR			
L41	6684329.pn.	1	L41
L40	6684335.pn.	1	L40
L39	6686539.pn.	1	L39

L38	6687833.pn.	1	L38
L37	6687834.pn.	1	L37
L36	6694436.pn.	1	L36

DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L35	((system near call$1) with (wrap$4 or proxy))	60	L35
L34	((system near call$1) with (without or no) with (re$1compil$5 or re$1instal$6))	1	L34
L33	((check$3 or audit$3) with (without or no) with (re$1compil$5 or re$1instal$6))	23	L33
L32	(((check$3 or audit$3) with (operating adj system)) with (re$1compil$5 or re$1instal$6))	2	L32
L31	((without or no) near porting with operating adj system)	0	L31
L30	((without or no) near port$3 with operating adj system)	31	L30
L29	113 and L26	8	L29
L28	113 and L27	0	L28
L27	11 and L26	81	L27
L26	((32 or 64 or sixty$1four or thirty$1two) near conver$6)	16042	L26
L25	native near (code or librar$3 or dll) with transparen$3	6	L25
L24	((platform near independen$2) with (proxy or stub or skeleton))	6	L24
L23	113 and L22	2	L23
L22	(analy$4 near (librar$3 or dll))	512	L22
L21	((jni or java adj native) with (isolat$3 or separat$3) near (process or address adj space or domain))	0	L21
L20	113 and L19	0	L20
L19	((error or corrupt) with (isolat$3 or separat$3) near (process or address adj space or domain))	226	L19
L18	113 and L17	4	L18
L17	((generat$3 or creat$3) near (proxy or stub or skeleton) with (librar$3 or dll))	35	L17
L16	proxy with (native near (code or librar$3 or dll))	1	L16
L15	proxy with (jni or java adj native)	2	L15
L14	12 and L13	30	L14
L13	native near (code or librar$3 or dll)	829	L13

DB=USPT; PLUR=YES; OP=OR

L12	5560009.pn.	1	L12
L11	5787245.pn.	1	L11
L10	5838975.pn.	1	L10
L9	5901315.pn.	1	L9
L8	5901315.pn.	1	L8

DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L7	13 and L6	15	L7
L6	14 or L5	4429	L6

L5	717/100-167.ccls.	3660	L5
L4	719/328-332.ccls.	941	L4
L3	l1 and L2	88	L3
L2	((prox$3 or stub or skeleton or transparen$3) near (routine or function or procedure))	2473	L2
L1	((code or program) near (isolat$3 or separat$3))	9264	L1

END OF SEARCH HISTORY